Clinical Improvement after ESSURE® devices removal: a systematic review

Chloé Miguet-Bensouda1-2, François Parant1, Gautier Chene2

1 Trace Element Analysis Laboratory, Biochemistry Department, University Hospital of Lyon ² Department of Gynecology, Hôpital Femme Mère Enfant, University Hospital of Lyon

Essure® implant is a permanent minimally invasive control birth device implanted to 750000 patients worldwide between 2002 and 2018. Many side-effects were reported by patients. Essure®-related-symptoms were both local signs (pelvic pain, heavy menstrual bleeding (HMB), dyspareunia...) and general signs (asthenia, arthralgia, cognitive impairment...). Possible corrosion of the implant may be suggested with release of toxic metal elements such as nickel, chromium and tin in surrounding tissues and peritoneal fluid of symptomatic patients1-2. Increasingly explantation surgery are realized in symptomatic patients. However, strong studies about clinical improvement after removal are missing.

A review of English literature was conducted using PubMed and Embase databases. Single cases reports and abstracts without detailed article were excluded. Data were synthesized under following categories: global improvement, pain, prevalence of Essure®-attributed symptoms, and quality of life (QoL). Statistical analysis were realized by Fisher's exact test.



Literature search

18 studies were included from 2014 to January 2022, among which only 2 were prospective studies. Design and outcomes were heterogenous.

Patients & technique of removal

We collected informations about 981 explanted patients of which 922 with clinical followup. Technique of explantation were hysterectomy (36%), cornuectomy (28%), salpingectomy (26%), hysteroscopy (<1%), or unspecified (9%). Clinical assessment was mostly collected a few weeks after surgery.

Global improvement

Clinical improvement, at least partial, was reported from 73% to 98% of patients (Table 1).

	Time after	Improvement		No improvement	Worsening
	surgery (months)	Total or almost total (%)	Partial (%)	(%)	(%)
Jegaden4 (n=90)	1 to 2 24	47 83	51	2	-
Maasen ^s (n=73)	1.5	40	45	15	-
Leleu (n=57)	1.5 to 2	33	60	7	-
Merviel ⁷ (n=52)	1, 3 and 6	21			
Siemons ^a (n=51)	3	57			
van Drongelen ⁹ (n=49)	Unspecified	29	59	12	-
Eychenne ¹⁰ (n=90) (n=82)	2 6	91 98		8 1	1
Clark11 (n=32)	1	87			
Nolan12 (n=19)	1	89			
Brito13 (n=11)	Unspecified (until 4 years)	73		9	18

Table 1: Studies evaluating global improvement after Essure® removal: rates of patient with "improvement", "no improvement" and "worsening situation".

Pain

Pelvic pain

3 studies assessed prevalence of pelvic pain resolution after removal of device without mentioning other Essure® attributed symptoms. In a large case series including 4 274 women, Arjona¹⁴ reported 7 patients requiring device removal for chronic pelvic pain. Pain disappeared in all cases after surgery and until 6 months follow-up. In 2016, Casey¹⁵ reported resolution for 88,5% of explanted patients (23/26). In 2017, Casey16 reported pain resolution for 78% of patients (32/41) at the post-operative visit.

Pain score


Pain was significantly improved after surgery regardless the scales used by authors (Table 2).

- 1. Parant. Eur. J. Obstet. Gynecol. Reprod. 2022 2. Catinon, I. Trace Elem, Med. Biol. 2022
 - Cattilon, J. Hale Elem. Web. Diol. 2022
 medscape.com, sante-sur-le-net.com
 Jegaden, J. Gynecol. Obstet. Hum. Reprod. 2020
 Maassen, J. Minim. Invasive Gynecol. 2019
- Leleu. J. Gynecol. Obstet. Hum. Reprod. 2021 Merviel. Minerva Ginecol. 2019 Merviel, Minerva Ginecol, 2019
 Siemons, Fertill, Steril, 2019
 van Drongelen, RIVM Lett. Rep. 2016-006, 2016
 Tychenne, J. Gynecol, Ofstet, Hum. 2021
 Clark, J. Minin, Invasive Gynecol, 2017
 Nolan, J. Robot, Surg. 2021
- 13. Brito, I. Minim, Invi ve Gynecol, 2015

	Endpoint	Time after removal (month)	VAS before (/10)	VAS after (/10)
Chene17 (n=80)	Global pain	1 - 3 - 6	3.6	1.4* - 0.8* - 1.5
Nolan12 (n=19)	Global pain	1	8,5	0.75*
Catinon ² (n=17)	Pelvic pain	3	4,9	1.9*

Table 2: Studies assessing pain score before and after removal. VAS: Visual Analogic Scale. * pc.05 compared to VAS before removal

Essure®-attributed-symptoms



necessarily were improved by hysterectomies, local symptoms with better rate of improvement were "dyspareunia", "digestive disorder" and "abdominal or pelvic pain" (91%, 82% and 76%, respectively) (p<.001). General symptoms with better rate of improvement were "depressive syndrome», "dermatologic issue" and "pruritus" (87%, 85% and 77%, respectively) (p<.05).

Before ESSURE® removal After

10 studies2,5-7,10-11,13,18-20 described prevalence of Essure®-related-symptoms before

explantation and evolution a few weeks after surgery. 2 of them^{13,20} were excluded from this chapter to avoid the risk of sampling bias due to potential overlapping populations. Figure 1 combine data from the 8 remaining studies.

Local symptoms trended to have a better rate of improvement than general symptoms. After

exclusion of symptoms like "HMB" that necessarily were improved by hysterectomies,

Figure 1: Prevalence of Essure®.attributed. symptoms before and after removal of device combining data from 8 studies. * p<.05, ** p<.001

Quality of life

After Essure® removal, significant improvement ranged from 65% to 100% of patients depending on studies. Mean QoL scores were also improved (table 3).

	Used	Time after	Rate of patient with	Mean QoL score	
	score	removal	improvement of QoL (%)	Before	After
Francini ¹⁸ (n=83)	SF-36	3 months	For PCS: 80 For MCS: 83 For PCS + MCS: 71		
Clark11 (n=32)		1 month	75		
Brito13 (n=11)		Until 4 years	82		
Cassidy19 (n=86)	Score 0-5	Until 4 years	98	1.4 / 5	4.2/5
Chene17 (n=80)	SF-12	1-3-6 months	58 - 65 - 65	MCS: 34 PCS: 36	49* - 53* - 50* 43* - 44* - 48*
Nolan12 (n=19)	Score 0-7	1 month		5.9/7	1.5 / 7*

Table 3: Studies assessing evolution of QoL after Essure® removal for device-attributedsymptoms. * p<.05 vs «before» PCS: Physical Component

Scale. MCS: Mental Component Scale.

Essure® implant²¹

Removal of Essure® in symptomatic patients may improve symptoms and quality of life. The pathophysiological mechanisms underlying Essure[®]-attributed-symptoms remains unclear, but could probably be related to release of metallic elements. Managing patients without any improvement of symptomatology remain a challenge. Furthermore, studies are heterogenous and often retrospective so a prospective study with long time follow-up is needed.

- Arjona. J. Obstet. Gynecol. 2014
 Casey. Contraception. 2016
 Casey. J. Minim. Imaxive Gynecol. 2017
 Chene. Europ. J. Obstet. Gynecol. Repted. Biol. 2019
 B. Francini. J. Cynecol. Obstet. Hum. Reprod. 2021
 Caskab. Audiomann. Rev. 2021
 Chauhan. Audiomann. Rev. 2021

- 21. baver.com. IFU. 2016

